

Message

From: Pruzinsky, Amanda [Pruzinsky.Amanda@epa.gov]
Sent: 2/22/2021 7:45:25 PM
To: Pratt, Stacie [Pratt.Stacie@epa.gov]
CC: Crosby, Monica [Crosby.Monica@epa.gov]
Subject:
Attachments: **Ex. 7(A)**

Non-responsive based on revised scope

Best,
Amanda

Amanda Pruzinsky
Physical Scientist
Water Branch NPDES Section
Enforcement and Compliance Assurance Division (ECAD)
U.S. EPA Region 3
1650 Arch St.
Philadelphia, PA 19103
215-814-5456
Pruzinsky.Amanda@epa.gov

From: Pratt, Stacie <Pratt.Stacie@epa.gov>
Sent: Monday, February 22, 2021 1:46 PM
To: Pruzinsky, Amanda <Pruzinsky.Amanda@epa.gov>
Subject: FW: **Ex. 7(A)**

Amanda – I'm guessing these would be in the Bay, right? If so, I'll add them to my list too.

Thanks.

From: Nipper, Troy [<mailto:troy.nipper@deq.virginia.gov>]
Sent: Monday, February 22, 2021 1:43 PM
To: Pratt, Stacie <Pratt.Stacie@epa.gov>
Cc: Hopkins, Ingrid <Hopkins.Ingrid@epa.gov>; Sadtler, Kristen (DEQ) <kristen.sadtler@deq.virginia.gov>; jerome.brooks@deq.virginia.gov
Subject: Re: **Ex. 7(A)**

Non-responsive based on revised scope

Thanks
Troy

Department of Environmental Quality – Central Office
Office of Water Compliance

VPDES Waste Water Compliance Coordinator

e-DMR Administrator

Public Login page: https://edmr.deq.virginia.gov/edmr_public/

VPDES eDMR page

<https://www.deq.virginia.gov/permits-regulations/permits/water/surface-waters-vpdes/e-dmr-submissions>

VPDES e-Reporting Rule Webpage

<https://www.deq.virginia.gov/permits-regulations/permits/water/surface-waters-vpdes/e-reporting-rule>

Mail: P.O. Box 1105, Richmond, VA 23218

Location: 1111 E. Main Street, Richmond, VA 23219

Telephone: #804-698-4535

Fax: #804-698-4178

[DEQ Website](#)

On Mon, Feb 22, 2021 at 1:31 PM Pratt, Stacie <Pratt.Stacie@epa.gov> wrote:

Ex. 7(A)

Thanks!!!!

From: Nipper, Troy [<mailto:troy.nipper@deq.virginia.gov>]

Sent: Monday, February 22, 2021 1:22 PM

To: Pratt, Stacie <Pratt.Stacie@epa.gov>

Cc: Hopkins, Ingrid <Hopkins.Ingrid@epa.gov>; Sadtler, Kristen (DEQ) <kristen.sadtler@deq.virginia.gov>;
jerome.brooks@deq.virginia.gov

Subject: **Ex. 7(A)**

Stacie,

I talked with our regional manager and enforcement staff.

There are no reservations by DEQ for EPA to perform an inspection at the **Non-responsive based on revised scope**

I have added to my copy of the EPA inspection targeting spreadsheet.

Please let me know when your staff and/or the contractor would like to have a conference call to discuss historical information about this facility.

Thanks

Troy

Department of Environmental Quality – Central Office

Office of Water Compliance

VPDES Waste Water Compliance Coordinator

e-DMR Administrator

Public Login page: https://edmr.deq.virginia.gov/edmr_public/

VPDES eDMR page

<https://www.deq.virginia.gov/permits-regulations/permits/water/surface-waters-vpdes/e-dmr-submissions>

VPDES e-Reporting Rule Webpage

<https://www.deq.virginia.gov/permits-regulations/permits/water/surface-waters-vpdes/e-reporting-rule>

Mail: P.O. Box 1105, Richmond, VA 23218

Location: 1111 E. Main Street, Richmond, VA 23219

Telephone: #804-698-4535

Fax: #804-698-4178

DEQ Website

On Fri, Feb 19, 2021 at 2:19 PM Pratt, Stacie <Pratt.Stacie@epa.gov> wrote:

Troy – Just as quick follow-up on this, I think that Ingrid shared with you this as a potential target as well. Could you give us some feedback on this one? Just trying to finalize some sort of list to give to the contractor to start doing some of our FY21 inspections.

Thank you! Have a nice week-end.

Non-responsive based on revised scope

From: Nipper, Troy [<mailto:troy.nipper@deq.virginia.gov>]

Sent: Tuesday, February 16, 2021 12:50 PM

To: Hopkins, Ingrid <Hopkins.Ingrid@epa.gov>

Cc: Sadtler, Kristen (DEQ) <kristen.sadtler@deq.virginia.gov>; jerome.brooks@deq.virginia.gov; Pratt, Stacie <Pratt.Stacie@epa.gov>

Subject: Ex. 7(A)

I have not had a chance to talk with Kristen or any of the regional managers.

It is on the agenda to discuss on the monthly conference call with the regional managers on Thursday of this week.

I will provide a list of facilities once the managers have looked at their facilities.

Troy

Department of Environmental Quality – Central Office

Office of Water Compliance

VPDES Waste Water Compliance Coordinator

e-DMR Administrator

Public Login page: https://edmr.deq.virginia.gov/edmr_public/

VPDES eDMR page

<https://www.deq.virginia.gov/permits-regulations/permits/water/surface-waters-vpdes/e-dmr-submissions>

VPDES e-Reporting Rule Webpage

<https://www.deq.virginia.gov/permits-regulations/permits/water/surface-waters-vpdes/e-reporting-rule>

Mail: P.O. Box 1105, Richmond, VA 23218

Location: 1111 E. Main Street, Richmond, VA 23219

Telephone: #804-698-4535

Fax: #804-698-4178

DEQ Website

On Tue, Feb 16, 2021 at 12:38 PM Hopkins, Ingrid <Hopkins.Ingrid@epa.gov> wrote:

Hello,

Ex. 7(A)

cases.

Thank you,

Ingrid H. Hopkins

NPDES Section (3ED32)

U.S. EPA, Region III

1650 Arch Street

Philadelphia, PA 19103

(215) 814-5437

From: Hopkins, Ingrid
Sent: Wednesday, February 03, 2021 4:32 PM
To: Sadtler, Kristen (DEQ) <kristen.sadtler@deq.virginia.gov>
Cc: Nipper, Troy <troy.nipper@deq.virginia.gov>
Subject: **Ex. 7(A)**

Good afternoon,

Just a quick check-in on the potential sites to be referred to the region for follow up/investigation/inspection. Please let me know if you'd like to discuss further.

Thank you,

Ingrid H. Hopkins
NPDES Section (3ED32)
U.S. EPA, Region III
1650 Arch Street
Philadelphia, PA 19103
(215) 814-5437